

RECEIVED

DEC 19 2002

TECH CENTER 1600/2900



ENTERED

1600

RAW SEQUENCE LISTING

PATENT APPLICATION: US/09/730,379F

DATE: 12/10/2002

TIME: 15:52:59

Input Set : A:\EP.txt

Output Set: N:\CRF4\12102002\I730379F.raw

23

3 <110> APPLICANT: Cornell Research Foundation, Inc.
 5 <120> TITLE OF INVENTION: THROMBOSPONDIN-BINDING REGION OF HISTIDINE-RICH GLYCOPROTEIN
 AND METHODS

6 OF USE
 8 <130> FILE REFERENCE: Docket 955-7P/CON
 10 <140> CURRENT APPLICATION NUMBER: 09/730,379F
 11 <141> CURRENT FILING DATE: 2000-12-05
 13 <150> PRIOR APPLICATION NUMBER: US 60/169,205
 14 <151> PRIOR FILING DATE: 1999-12-06
 16 <160> NUMBER OF SEQ ID NOS: 19
 18 <170> SOFTWARE: PatentIn version 3.1
 20 <210> SEQ ID NO: 1
 21 <211> LENGTH: 75
 22 <212> TYPE: PRT
 23 <213> ORGANISM: Homo sapiens
 25 <300> PUBLICATION INFORMATION:
 26 <301> AUTHORS: Koide,T., Foster,D., Yoshitake,S. and Davie,E.W.
 27 <302> TITLE: Amino acid sequence of human histidine-rich glycoprotein derived from the
 28 nucleotide sequence of its cDNA
 29 <303> JOURNAL: Biochemistry
 30 <304> VOLUME: 25
 31 <305> ISSUE: 8
 32 <306> PAGES: 2220-2225
 33 <307> DATE: 1986-04-22
 34 <308> DATABASE ACCESSION NO: GenBank/P04196
 35 <309> DATABASE ENTRY DATE: 1987-03-20
 37 <400> SEQUENCE: 1
 39 Gly Pro Arg Pro Phe His Cys Arg Gln Ile Gly Ser Val Tyr Arg Leu
 40 1 5 10 15
 43 Pro Pro Leu Arg Lys Gly Glu Val Leu Pro Leu Pro Glu Ala Asn Phe
 44 20 25 30
 47 Pro Ser Phe Pro Leu Pro His His Lys His Pro Leu Lys Pro Asp Asn
 48 35 40 45
 51 Gln Pro Phe Pro Gln Ser Val Ser Glu Ser Cys Pro Gly Lys Phe Lys
 52 50 55 60
 55 Ser Gly Phe Pro Gln Val Ser Met Phe Phe Thr
 56 65 70 75
 59 <210> SEQ ID NO: 2
 60 <211> LENGTH: 58
 61 <212> TYPE: PRT
 62 <213> ORGANISM: Homo sapiens
 64 <300> PUBLICATION INFORMATION:
 65 <301> AUTHORS: Koide,T., Foster,D., Yoshitake,S. and Davie,E.W.
 66 <302> TITLE: Amino acid sequence of human histidine-rich glycoprotein derived from the

RAW SEQUENCE LISTING

DATE: 12/10/2002

PATENT APPLICATION: US/09/730,379F

TIME: 15:52:59

Input Set : A:\EP.txt

Output Set: N:\CRF4\12102002\I730379F.raw

67 nucleotide sequence of its cDNA
 68 <303> JOURNAL: Biochemistry
 69 <304> VOLUME: 25
 70 <305> ISSUE: 8
 71 <306> PAGES: 2220-2225
 72 <307> DATE: 1986-04-22
 73 <308> DATABASE ACCESSION NO: GenBank/P04196
 74 <309> DATABASE ENTRY DATE: 1987-03-20
 76 <400> SEQUENCE: 2
 78 Ala Ser Phe Arg Val Asp Arg Ile Glu Arg Val Ala Arg Val Arg Gly
 79 1 5 10 15
 82 Gly Glu Gly Thr Tyr Phe Val Asp Phe Ser Val Arg Asn Cys Pro Arg
 83 20 25 30
 86 His His Phe Pro Arg His Pro Asn Val Phe Gly Phe Cys Arg Ala Asp
 87 35 40 45
 90 Leu Phe Tyr Asp Val Glu Ala Leu Asp Leu
 91 50 55
 94 <210> SEQ ID NO: 3
 95 <211> LENGTH: 9
 96 <212> TYPE: PRT
 97 <213> ORGANISM: Homo sapiens
 99 <300> PUBLICATION INFORMATION:
 100 <301> AUTHORS: Koide,T., Foster,D., Yoshitake,S. and Davie,E.W.
 101 <302> TITLE: Amino acid sequence of human histidine-rich glycoprotein derived from

the

102 nucleotide sequence of its cDNA
 103 <303> JOURNAL: Biochemistry
 104 <304> VOLUME: 25
 105 <305> ISSUE: 8
 106 <306> PAGES: 2220-2225
 107 <307> DATE: 1986-04-22
 108 <308> DATABASE ACCESSION NO: GenBank/P04196
 109 <309> DATABASE ENTRY DATE: 1987-03-20
 111 <400> SEQUENCE: 3
 113 Gly Pro Arg Pro Phe His Cys Arg Gln
 114 1 5
 117 <210> SEQ ID NO: 4
 118 <211> LENGTH: 29
 119 <212> TYPE: PRT
 120 <213> ORGANISM: Homo sapiens
 122 <300> PUBLICATION INFORMATION:
 123 <301> AUTHORS: Koide,T., Foster,D., Yoshitake,S. and Davie,E.W.
 124 <302> TITLE: Amino acid sequence of human histidine-rich glycoprotein derived from

the

125 nucleotide sequence of its cDNA
 126 <303> JOURNAL: Biochemistry
 127 <304> VOLUME: 25
 128 <305> ISSUE: 8
 129 <306> PAGES: 2220-2225
 130 <307> DATE: 1986-04-22
 131 <308> DATABASE ACCESSION NO: GenBank/04196

RAW SEQUENCE LISTING

DATE: 12/10/2002

PATENT APPLICATION: US/09/730,379F

TIME: 15:52:59

Input Set : A:\EP.txt

Output Set: N:\CRF4\12102002\I730379F.raw

132 <309> DATABASE ENTRY DATE: 1987-03-20

134 <400> SEQUENCE: 4

136 Ile Gly Ser Val Tyr Arg Leu Pro Pro Leu Arg Lys Gly Glu Val Leu

137 1 5 10 15

140 Pro Leu Pro Glu Ala Asn Phe Pro Ser Phe Pro Leu Pro

141 20 25

144 <210> SEQ ID NO: 5

145 <211> LENGTH: 29

146 <212> TYPE: PRT

147 <213> ORGANISM: Homo sapiens

149 <300> PUBLICATION INFORMATION:

150 <301> AUTHORS: Koide,T., Foster,D., Yoshitake,S. and Davie,E.W.

151 <302> TITLE: Amino acid sequence of human histidine-rich glycoprotein derived from
the

152 nucleotide sequence of its cDNA

153 <303> JOURNAL: Biochemistry

154 <304> VOLUME: 25

155 <305> ISSUE: 8

156 <306> PAGES: 2220-2225

157 <307> DATE: 1986-04-22

158 <308> DATABASE ACCESSION NO: GenBank/P04196

159 <309> DATABASE ENTRY DATE: 1987-03-20

161 <400> SEQUENCE: 5

163 Asp Asn Gln Pro Phe Pro Gln Ser Val Ser Glu Ser Cys Pro Gly Lys

164 1 5 10 15

167 Phe Lys Ser Gly Phe Pro Gln Val Ser Met Phe Phe Thr

168 20 25

171 <210> SEQ ID NO: 6

172 <211> LENGTH: 7

173 <212> TYPE: PRT

174 <213> ORGANISM: Homo sapiens

176 <300> PUBLICATION INFORMATION:

177 <301> AUTHORS: Koide,T., Foster,D., Yoshitake,S. and Davie,E.W.

178 <302> TITLE: Amino acid sequence of human histidine-rich glycoprotein derived from
the

179 nucleotide sequence of its cDNA

180 <303> JOURNAL: Biochemistry

181 <304> VOLUME: 25

182 <305> ISSUE: 8

183 <306> PAGES: 2220-2225

184 <307> DATE: 1986-04-22

185 <308> DATABASE ACCESSION NO: GenBank/P04196

186 <309> DATABASE ENTRY DATE: 1987-03-20

188 <400> SEQUENCE: 6

190 Ala Ser Phe Arg Val Asp Arg

191 1 5

194 <210> SEQ ID NO: 7

195 <211> LENGTH: 21

196 <212> TYPE: PRT

197 <213> ORGANISM: Homo sapiens

199 <300> PUBLICATION INFORMATION:

RAW SEQUENCE LISTING

DATE: 12/10/2002

PATENT APPLICATION: US/09/730,379F

TIME: 15:52:59

Input Set : A:\EP.txt

Output Set: N:\CRF4\12102002\I730379F.raw

200 <301> AUTHORS: Koide,T., Foster,D., Yoshitake,S. and Davie,E.W.
the 201 <302> TITLE: Amino acid sequence of human histidine-rich glycoprotein derived from
202 nucleotide sequence of its cDNA
203 <303> JOURNAL: Biochemistry
204 <304> VOLUME: 25
205 <305> ISSUE: 8
206 <306> PAGES: 2220-2225
207 <307> DATE: 1986-04-22
208 <308> DATABASE ACCESSION NO: GenBank/P04196
209 <309> DATABASE ENTRY DATE: 1987-03-20
211 <400> SEQUENCE: 7
213 Ile Glu Arg Val Ala Arg Val Arg Gly Gly Glu Gly Thr Tyr Phe Val
214 1 5 10 15
217 Asp Phe Ser Val Arg
218 20
221 <210> SEQ ID NO: 8
222 <211> LENGTH: 30
223 <212> TYPE: PRT
224 <213> ORGANISM: Homo sapiens
226 <300> PUBLICATION INFORMATION:
227 <301> AUTHORS: Koide,T., Foster,D., Yoshitake,S. and Davie,E.W.
the 228 <302> TITLE: Amino acid sequence of human histidine-rich glycoprotein derived from
229 nucleotide sequence of its cDNA
230 <303> JOURNAL: Biochemistry
231 <304> VOLUME: 25
232 <305> ISSUE: 8
233 <306> PAGES: 2220-2225
234 <307> DATE: 1986-04-22
235 <308> DATABASE ACCESSION NO: GenBank/P04196
236 <309> DATABASE ENTRY DATE: 1987-03-20
238 <400> SEQUENCE: 8
240 Asn Cys Pro Arg His His Phe Pro Arg His Pro Asn Val Phe Gly Phe
241 1 5 10 15
244 Cys Arg Ala Asp Leu Phe Tyr Asp Val Glu Ala Leu Asp Leu
245 20 25 30
248 <210> SEQ ID NO: 9
249 <211> LENGTH: 38
250 <212> TYPE: PRT
251 <213> ORGANISM: Homo sapiens
253 <300> PUBLICATION INFORMATION:
254 <301> AUTHORS: Koide,T., Foster,D., Yoshitake,S. and Davie,E.W.
the 255 <302> TITLE: Amino acid sequence of human histidine-rich glycoprotein derived from
256 nucleotide sequence of its cDNA
257 <303> JOURNAL: Biochemistry
258 <304> VOLUME: 25
259 <305> ISSUE: 8
260 <306> PAGES: 2220-2225
261 <307> DATE: 1986-04-22
262 <308> DATABASE ACCESSION NO: GenBank/P04196

RAW SEQUENCE LISTING

DATE: 12/10/2002

PATENT APPLICATION: US/09/730,379F

TIME: 15:52:59

Input Set : A:\EP.txt

Output Set: N:\CRF4\12102002\I730379F.raw

263 <309> DATABASE ENTRY DATE: 1987-03-20
 265 <400> SEQUENCE: 9
 267 Gly Pro Arg Pro Phe His Cys Arg Gln Ile Gly Ser Val Tyr Arg Leu
 268 1 5 10 15
 271 Pro Pro Leu Arg Lys Gly Glu Val Leu Pro Leu Pro Glu Ala Asn Phe
 272 20 25 30
 275 Pro Ser Phe Pro Leu Pro
 276 35
 279 <210> SEQ ID NO: 10
 280 <211> LENGTH: 28
 281 <212> TYPE: PRT
 282 <213> ORGANISM: Homo sapiens
 284 <300> PUBLICATION INFORMATION:
 285 <301> AUTHORS: Koide,T., Foster,D., Yoshitake,S. and Davie,E.W.
 286 <302> TITLE: Amino acid sequence of human histidine-rich glycoprotein derived from

the

287 nucleotide sequence of its cDNA
 288 <303> JOURNAL: Biochemistry
 289 <304> VOLUME: 25
 290 <305> ISSUE: 8
 291 <306> PAGES: 2220-2225
 292 <307> DATE: 1986-04-22
 293 <308> DATABASE ACCESSION NO: GenBank/P04196
 294 <309> DATABASE ENTRY DATE: 1987-03-20
 296 <400> SEQUENCE: 10
 298 Ala Ser Phe Arg Val Asp Arg Ile Glu Arg Val Ala Arg Val Arg Gly
 299 1 5 10 15
 302 Gly Glu Gly Thr Tyr Phe Val Asp Phe Ser Val Arg
 303 20 25
 306 <210> SEQ ID NO: 11
 307 <211> LENGTH: 51
 308 <212> TYPE: PRT
 309 <213> ORGANISM: Homo sapiens
 311 <300> PUBLICATION INFORMATION:
 312 <301> AUTHORS: Koide,T., Foster,D., Yoshitake,S. and Davie,E.W.
 313 <302> TITLE: Amino acid sequence of human histidine-rich glycoprotein derived from

the

314 nucleotide sequence of its cDNA
 315 <303> JOURNAL: Biochemistry
 316 <304> VOLUME: 25
 317 <305> ISSUE: 8
 318 <306> PAGES: 2220-2225
 319 <307> DATE: 1986-04-22
 320 <308> DATABASE ACCESSION NO: GenBank/P04196
 321 <309> DATABASE ENTRY DATE: 1987-03-20
 323 <400> SEQUENCE: 11
 325 Ile Glu Arg Val Ala Arg Val Arg Gly Gly Glu Gly Thr Tyr Phe Val
 326 1 5 10 15
 329 Asp Phe Ser Val Arg Asn Cys Pro Arg His His Phe Pro Arg His Pro
 330 20 25 30
 333 Asn Val Phe Gly Phe Cys Arg Ala Asp Leu Phe Tyr Asp Val Glu Ala

RAW SEQUENCE LISTING ERROR SUMMARY
PATENT APPLICATION: US/09/730,379F

DATE: 12/10/2002
TIME: 15:53:00

Input Set : A:\EP.txt
Output Set: N:\CRF4\12102002\I730379F.raw

Invalid Line Length:

The rules require that a line not exceed 72 characters in length. This includes spaces.

Seq#:1; Line(s) 5,27
Seq#:2; Line(s) 66
Seq#:3; Line(s) 101
Seq#:4; Line(s) 124
Seq#:5; Line(s) 151
Seq#:6; Line(s) 178
Seq#:7; Line(s) 201
Seq#:8; Line(s) 228
Seq#:9; Line(s) 255
Seq#:10; Line(s) 286
Seq#:11; Line(s) 313
Seq#:12; Line(s) 348
Seq#:13; Line(s) 383

VERIFICATION SUMMARY

DATE: 12/10/2002

PATENT APPLICATION: **US/09/730,379F**

TIME: 15:53:00

Input Set : **A:\EP.txt**

Output Set: **N:\CRF4\12102002\I730379F.raw**